



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/660,538	09/12/2003	Tsutomu Ohishi	242738US2	5339

22850 7590 12/27/2010
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, L.L.P.
1940 DUKE STREET
ALEXANDRIA, VA 22314

EXAMINER

RODRIGUEZ, LENNIN R

ART UNIT	PAPER NUMBER
----------	--------------

2625

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

12/27/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

Office Action Summary	Application No. 10/660,538	Applicant(s) OHISHI ET AL.	
	Examiner LENNIN RODRIGUEZ	Art Unit 2625	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 September 2010.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3,5-7,9-11,13-16,18-23,26 and 29-32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3,5-7,9-11,13-16,18-23,26 and 29-32 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>11/24/2010</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed 9/17/2010 have been fully considered but they are not persuasive. Applicant's argument regarding "the Office Action asserts that Buck discloses the above claimed features. Further, the Office Action asserts that Ouchi discloses that the claimed hardware resources, applications, and platform are included in a cabinet of the image forming apparatus, and that Ouchi demonstrates that these devices can be easily combined into a single device in Whitmarsh. Applicants respectfully traverse the above assertions in the Office Action" have been fully considered; in response the examiner would like to point out that the fact that the Whitmarsh reference uses the term "remote" to describe a device does not mean that that particular device can only be remotely located from a system or device, it is only intended for exemplary purposes, and by no means limiting. Someone with some skills in the art will know that a publisher and/or a print service need not to be externally located in order to operate, so the purpose of the examiner's combination was precisely to prove the point that these devices could be contain into a single device and that it would perform the same way as separate.

Claim Rejections - 35 USC § 103

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Art Unit: 2625

3. Claims 1-3, 5-7, 11, 13-16, 18-21, 26 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Whitmarsh (US 2002/0101608) in view of Matsueda et al. (US 2001/0040692), Furukawa et al. (US 2001/0046065) and Ouchi et al. (US 2003/0025936).

(1) regarding claims 1, 14 and 29:

Whitmarsh '608 discloses an image forming apparatus (10 in Fig. 1) comprising:

hardware resources used for image formation (18b, 18c and 18d in Fig. 1, printers are hardware used to printing (forming));

applications for performing processes on image formation (paragraph [0024], lines 1-7, where the client includes print service print driver that takes care of image printing); and

a platform that exists between the applications and the hardware resources (paragraph [0022], lines 1-4, where the client contains a CPU which takes care of processing of images and the hardware devices with the printing parameters), the platform including an Operating System (OS) (paragraph [0024, lines 1-7, Windows operating system) and a least one control service to control an execution of each requested processing of the hardware resources according to a function call from at least one of the applications (paragraph [0021], lines 19-26, publisher 18 controls the outputting to the printers using the received printing parameters from the application sever), wherein interprocess communication is performed between the control service and at least one of the applications (paragraph [0021], lines 11-26, communication is being held between the publisher and the server for example),

the image forming apparatus further comprising, as one of the applications:

an information providing part (workflow application server 14 in Fig. 1) configured to provide, to a client terminal, screen data being used for selecting one or more image forming apparatuses among from a plurality of image forming apparatuses (paragraph [0035] and paragraph [0036], lines 1-4, where the user can select the destination printer among the ones shown in a list) connected to a network on the client terminal (paragraph [0021], lines 1-7, where the printers are connected through a network to the system),

a print request part (18a in Fig. 1) configured to distribute print data and a print request to one or more of the plurality of image forming apparatuses (paragraph [0021], lines 19-26, where the publisher distributes the print request with the print files to 18b...18d in Fig. 1), wherein, when a print request that has been received includes a name of print data (paragraph [0021], lines 23-26, where every file being sent to a printer needs to have a name to it, or identification in order to be recognized and in this case printable file 22 needs to have that) and a function of an image forming apparatus from the client terminal (paragraph [0041], lines 1-6, it contains print request parameters that indicate functions of the printing apparatus such as color print).

Whitmarsh '608 further discloses computer readable medium storing computer code (paragraph [0050]).

Whitmarsh '608 discloses all the subject matter as described above except an information providing part configured to store, in a storage unit, information including addresses of one or more of the image forming apparatuses which have been selected

Art Unit: 2625

by associating the information with functions of the selected one or more image forming apparatuses;

However, Matsueda '692 teaches an information providing part configured to store, in a storage unit (paragraph [0062], and 203 in Fig. 2), information including addresses of one or more of the image forming apparatuses which have been selected by associating the information with functions of the selected one or more image forming apparatuses (paragraph [0028], lines 8-14, where a designated printer is selected and paragraph [0062], where the address of the printing apparatus used is stored); and

Having a system of Whitmarsh '608 reference and then given the well-established teaching of Matsueda '692 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the image forming apparatus and method of Whitmarsh '608 to include an information providing part configured to store, in a storage unit, information including addresses of one or more of the image forming apparatuses which have been selected by associating the information with functions of the selected one or more image forming apparatuses as taught by Matsueda '692 because it would allow the system to have a destination and related information of the device to which it will send print data that way it releases the client computer the memory usage of having all that information in its own memory, thus reducing the cost of adding more memory to a client computer.

Whitmarsh '608 and Matsueda '692 disclose all the subject matter as described above except the print request part extracts one or more addresses of one or more of the plurality of image forming apparatuses having the function included in the print

Art Unit: 2625

request sent from the client terminal from among the selected one or more information apparatuses, and the print request part distributes the print data and a print request to the one or more of the plurality of image forming apparatuses having the function by specifying the extracted one or more addresses.

However, Furukawa '065 teaches the print request part extracts one or more addresses of one or more of the plurality of image forming apparatuses having the function included in the print request sent from the client terminal from among the selected one or more information apparatuses (paragraph [0050], [0051], and [0059], where the address is extracted of the selected printer supporting a printing function), and the print request part distributes the print data and a print request to the one or more of the plurality of image forming apparatuses having the function by specifying the extracted one or more addresses (paragraph [0060], where the extracted address is that of the desired printer devices, therefore only transmitting to those having support for the printing function).

Having a system of Whitmarsh '608 and Matsueda '692 and then given the well-established teaching of Furukawa '065 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the image forming apparatus and process method of Whitmarsh '608 and Matsueda '692 to include the print request part extracts one or more addresses of one or more of the plurality of image forming apparatuses having the function included in the print request sent from the client terminal from among the selected one or more information apparatuses, and the print request part distributes the print data and a print request to

Art Unit: 2625

the one or more of the plurality of image forming apparatuses having the function by specifying the extracted one or more addresses as taught by Furukawa '065 because it will provide with a more direct access to matching job's capabilities printers, thus reducing unnecessary network traffic, thus reducing operating costs.

Whitmarsh '608, Matsueda '692 and Furukawa '065 disclose all the subject matter as described above except the hardware resources, the applications, and the platform are included in a cabinet of the image forming apparatus;

However, Ouchi '936 teaches the hardware resources, the applications, and the platform are included in a cabinet of the image forming apparatus (paragraph [0072], lines 4-9, as used previously Whitmarsh '608 provides the hardware resources in the printers and the applications and platform on a client device, Ouchi '936 demonstrates that these devices can be easily combined into a single device/apparatus yielding the same predictable results);

Having a system of Whitmarsh '608, Matsueda '692 and Furukawa '065 and then given the well-established teaching of Ouchi '936 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the image forming apparatus, method and computer readable medium of Whitmarsh '608, Matsueda '692 and Furukawa '065 to include the hardware resources, the applications, and the platform are included in a cabinet of the image forming apparatus as taught by Ouchi '936 because the results of the combination would have been predictable and resulted in modifying the invention of Whitmarsh '608, Matsueda '692 and Furukawa '065 to have all the functionality in a single device/apparatus, thereby allowing for space

Art Unit: 2625

saving in the location of the machine and also budget savings since a consolidated machine generally costs less than buying separate client computer and printer combined.

(2) regarding claims 2 and 15:

Whitmarsh '608 further discloses wherein the information providing part sends screen data for inputting a print instruction to the client terminal (paragraph [0041]-[0042], where via a browser there is provided a screen so that the user can make choices); and

the print request part distributes the print data and the print request when receiving the print instruction from the client terminal (paragraph [0046], lines 1-7).

(3) regarding claims 3 and 16:

Whitmarsh '608 further discloses wherein the information providing part sends screen data used for uploading the print data to the client terminal (paragraph [0038]); and

the image forming apparatus receives the print data when the print data is uploaded from the client terminal (paragraphs [0038]-[0039]).

(4) regarding claims 5 and 18:

Whitmarsh '608 further discloses wherein the screen data includes data for displaying a plurality of image forming apparatuses (paragraph [0043], where the user can select the destination printer among the ones shown in a list) and corresponding places for each of the image forming apparatuses (paragraph [0043], where the list includes publisher address).

(5) regarding claims 6 and 19:

Whitmarsh '608 further discloses wherein the screen data includes data for displaying a plurality of image forming apparatuses (paragraph [0043], where the user can select the destination printer among the ones shown in a list) and corresponding functions for each of the image forming apparatuses (paragraph [0041]).

(6) regarding claim 7:

Whitmarsh '608 discloses all the subject matter as described above except wherein the print request part distributes the print data and the print request by referring to the information stored in the storage unit.

However, Matsueda '692 teaches wherein the print request part distributes the print data and the print request by referring to the information stored in the storage unit (paragraph [0028], lines 8-14, where the extracted address is that of the desired printer device) (paragraph [0062], and 203 in Fig. 2).

Having a system of Whitmarsh '608 reference and then given the well-established teaching of Matsueda '692 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the image forming apparatus and method of Whitmarsh '608 to include wherein the print request part distributes the print data and the print request by referring to the information stored in the storage unit as taught by Matsueda '692 because it would allow the system to have a destination and related information of the device to which it will send print data that way it releases the client computer the memory usage of having all that information in its own memory, thus reducing the cost of adding more memory to a client computer.

(7) regarding claim 11:

Whitmarsh '608 and Matsueda '692 disclose all the subject matter as described above except wherein the print request part comprises an address obtaining part for obtaining addresses of the one or more image forming apparatuses connected to a network; and

wherein the print request part distributes the print data and the print request by using addresses obtained by the address obtaining part.

However, Furukawa '065 teaches wherein the print request part comprises an address obtaining part for obtaining addresses of the one or more image forming apparatuses connected to a network (paragraph [0050], [0051], and [0059], where the address is extracted of the selected printer supporting a printing function); and

wherein the print request part distributes the print data and the print request by using addresses obtained by the address obtaining part (paragraph [0060], where the extracted address is that of the desired printer devices, therefore only transmitting to those having support for the printing function).

Having a system of Whitmarsh '608 and Matsueda '692 and then given the well-established teaching of Furukawa '065 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the image forming apparatus and process method of Whitmarsh '608 and Matsueda '692 to include wherein the print request part comprises an address obtaining part for obtaining addresses of the one or more image forming apparatuses connected to a network; and wherein the print request part distributes the print data and the print request by using

Art Unit: 2625

addresses obtained by the address obtaining part as taught by Furukawa '065 because it will provide with a more direct access to matching job's capabilities printers, thus reducing unnecessary network traffic, thus reducing operating costs.

(8) regarding claims 13 and 26:

Whitmarsh '608 further discloses wherein the image forming apparatus is configured to be able to install a plurality of applications separately from the control services (paragraph [0033], where different programs such as job store application can be installed), and the image forming apparatus includes the information providing part and the print request part as an application (paragraph [0043]).

(9) regarding claim 20:

Whitmarsh '608 discloses all the subject matter as described above except wherein the image forming apparatus stores in a memory information including addresses of the selected one or more image forming apparatuses,

However, Matsueda '692 teaches wherein the image forming apparatus stores in a memory information including addresses of the selected one or more image forming apparatuses (paragraph [0028] and paragraph [0062]),

Having a system of Whitmarsh '608 reference and then given the well-established teaching of Matsueda '692 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the image forming apparatus and method of Whitmarsh '608 to include wherein the image forming apparatus stores in a memory information including addresses of the selected one or more image forming apparatuses as taught by Matsueda '692 because it would allow

Art Unit: 2625

the system to have a destination and related information of the device to which it will send print data that way it releases the client computer the memory usage of having all that information in its own memory, thus reducing the cost of adding more memory to a client computer.

Whitmarsh '608 and Matsueda '692 disclose all the subject matter as described above except wherein the image forming apparatus distributes the print data and the print request by referring to the information stored in the memory.

However, Furukawa '065 teaches wherein the image forming apparatus distributes the print data and the print request by referring to the information stored in the memory (paragraph [0060], where the extracted address is that of the desired printer devices, therefore only transmitting to those having support for the printing function).

Having a system of Whitmarsh '608 and Matsueda '692 and then given the well-established teaching of Furukawa '065 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the image forming apparatus and process method of Whitmarsh '608 and Matsueda '692 to include wherein the image forming apparatus distributes the print data and the print request by referring to the information stored in the memory as taught by Furukawa '065 because it will provide with a more direct access to matching job's capabilities printers, thus reducing unnecessary network traffic, thus reducing operating costs.

(10) regarding claim 21:

Whitmarsh '608 further discloses wherein the print instruction includes an instruction for designating functions to be used for printing the print data (paragraph [0041]-[0042], where via a browser there is provided a screen so that the user can make choices), and

the print request part selects one or more image forming apparatuses that includes the designated functions from among the selected one or more image forming apparatuses (paragraph [0043], where the user can select the destination printer among the ones shown in a list), and distributes the print data and the print request to the one or more image forming apparatuses that includes the designated functions (paragraph [0046], lines 1-7).

4. Claims 9-10, 22-23 and 30-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Whitmarsh (US 2002/0101608), Matsueda et al. (US 2001/0040692), Furukawa et al. (US 2001/0046065) and Ouchi et al. (US 2003/0025936) in view of Shima (JP 2001209503 A, machine translation it's being used for the citations).

(1) regarding claims 9 and 22:

Whitmarsh '608, Matsueda '692, Furukawa '065 and Ouchi '936 disclose all the subject matter as described above except wherein the print request part requests a printing part of the image forming apparatus itself to print the print data.

However, Shima '503 teaches wherein the print request part requests a printing part of the image forming apparatus itself to print the print data (paragraph [0009], where with the loop back address the system is able to perform this function).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made wherein the print request part requests a printing part of the image forming apparatus itself to print the print data as taught by Shima '503, in the system of Whitmarsh '608, Matsueda '692, Furukawa '065 and Ouchi '936. With this the development cost are reduced by dispensing with the development of an interface relying on each printing server (English abstract).

(2) regarding claims 10 and 23:

Whitmarsh '608, Matsueda '692, Furukawa '065 and Ouchi '936 disclose all the subject matter as described above except wherein the print request part requests the printing part of the image forming apparatus itself to print the print data by using a loop back address.

However, Shima '503 teaches wherein the print request part requests the printing part of the image forming apparatus itself to print the print data by using a loop back address (paragraph [0009], where with the loop back address the system is able to perform this function).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made wherein the print request part requests the printing part of the image forming apparatus itself to print the print data by using a loop back address as taught by Shima '503, in the system of Whitmarsh '608, Matsueda '692, Furukawa '065 and Ouchi '936. With this the development cost are reduced by dispensing with the development of an interface relying on each printing server (English abstract).

(3) regarding claims 30, 31, and 32:

Art Unit: 2625

Whitmarsh '608, Matsueda '692, Furukawa '065 and Ouchi '936 disclose all the subject matter as described above, except wherein when an address of the image forming apparatus is stored in the storage unit due to selection of the image forming apparatus at the client terminal and when the image forming apparatus includes the function included in the print request, the print request part requests a printing part of the image forming apparatus to print the print data by specifying a loop back address for returning the print data back within the image forming apparatus.

However, Shima '503 teaches wherein when an address of the image forming apparatus is stored in the storage unit due to selection of the image forming apparatus at the client terminal and when the image forming apparatus includes the function included in the print request, the print request part requests a printing part of the image forming apparatus to print the print data by specifying a loop back address for returning the print data back within the image forming apparatus (paragraph [0009], where with the loop back address the system is able to perform this function).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made wherein when an address of the image forming apparatus is stored in the storage unit due to selection of the image forming apparatus at the client terminal and when the image forming apparatus includes the function included in the print request, the print request part requests a printing part of the image forming apparatus to print the print data by specifying a loop back address for returning the print data back within the image forming apparatus as taught by Shima '503, in the system of Whitmarsh '608, Matsueda '692, Furukawa '065 and Ouchi '936. With this the

Art Unit: 2625

development cost are reduced by dispensing with the development of an interface relying on each printing server (English abstract).

5. Claims 12 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Whitmarsh (US 2002/0101608), Matsueda et al. (US 2001/0040692), Furukawa et al. (US 2001/0046065) and Ouchi et al. (US 2003/0025936) in view of Aoyagi et al. (US 2002/0032761).

Whitmarsh '608, Matsueda '692, Furukawa '065 and Ouchi '936 disclose all the subject matter as described above except wherein the address obtaining part obtains the addresses from MIBs by using SNMP.

However, Aoyagi '761 teaches wherein the address obtaining part obtains the addresses from MIBs by using SNMP (paragraph [0393]).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made wherein the address obtaining part obtains the addresses from MIBs by using SNMP as taught by Aoyagi '761, in the system of Whitmarsh '608, Matsueda '692, Furukawa '065 and Ouchi '936. This allows for displaying a network configuration chart that allows easy understanding of port-by-port connections of network devices and the like (paragraph [0013]).

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2625

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LENNIN RODRIGUEZ whose telephone number is (571)270-1678. The examiner can normally be reached on Mon - Thur 7:30am-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Zimmerman can be reached on 571-272-7653. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2625

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/LENNIN RODRIGUEZ/
Examiner, Art Unit 2625

/Mark K Zimmerman/

Supervisory Patent Examiner, Art Unit 2625